



Revision Number: 003.1

Issue date: 07/28/2010

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: ALODINE 1132 TOUCH-N-PREP COATI **IDH number:** 592939
Product type: Coating **Region:** United States
Company address: **Contact information:**
 Henkel Corporation Telephone: 248.583.9300
 32100 Stephenson Highway For Chemical Emergency: Call CHEMTREC at 800.424.9300
 Madison Heights, MI 48071 Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

| | | | |
|------------------------|--------------|-----------------------------|--------------------|
| Physical state: | Liquid | HEALTH: | *2 |
| Color: | Yellow green | FLAMMABILITY: | 0 |
| Odor: | Mild | PHYSICAL HAZARD: | 0 |
| | | Personal Protection: | See MSDS Section 8 |

WARNING: CAUSES EYE, SKIN AND RESPIRATORY TRACT IRRITATION.
 MAY BE HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN.
 MAY CAUSE ALLERGIC SKIN REACTION.
 CONTAINS MATERIAL WHICH CAN CAUSE CANCER.

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects

Inhalation: This product is irritating to the respiratory system.
Skin contact: This product may cause irritation to the skin. Product contains chromium, which may cause an allergic skin sensitization reaction. Massive overexposures may lead to kidney failure and death. A component in this product may be absorbed through the skin in harmful amounts.
Eye contact: This product is severely irritating to the eyes.
Ingestion: Acute ingestion may result in mild gastrointestinal distress. May be harmful if swallowed.

Existing conditions aggravated by exposure: Eye, skin, and respiratory disorders.

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous components | CAS NUMBER | % |
|-----------------------|-------------|---------|
| Chromium III chromate | 24613-89-6 | 0.1 - 1 |
| Chromium compound | Proprietary | 0.1 - 1 |

4. FIRST AID MEASURES

Inhalation: If mist or vapor of this product is inhaled, remove person immediately to fresh air. Seek medical attention if symptoms develop or persist.

| | |
|----------------------------|---|
| Skin contact: | Remove contaminated clothing and footwear. For skin contact, flush with large amounts of water. Seek immediate medical attention. If irritation persists, repeat flushing and get medical attention. Discard any shoes or clothing items that cannot be decontaminated. |
| Eye contact: | In case of contact with the eyes, rinse immediately with plenty of water for 15 minutes, and seek immediate medical attention. |
| Ingestion: | Get immediate medical attention. Do not induce vomiting. Give one to two glasses of water or milk. Never give anything by mouth to a victim who is unconscious or is having convulsions. |
| Notes to physician: | Treat symptomatically and supportively. |

5. FIRE FIGHTING MEASURES

| | |
|--|---|
| Flash point: | Not applicable |
| Autoignition temperature: | Not applicable |
| Flammable/Explosive limits - lower: | Not available |
| Flammable/Explosive limits - upper: | Not available |
| Extinguishing media: | Use media appropriate for surrounding material. |
| Special firefighting procedures: | Wear full protective clothing. Wear self-contained breathing apparatus. |
| Unusual fire or explosion hazards: | This product is an aqueous mixture which will not burn. |
| Hazardous combustion products: | Irritating and toxic gases or fumes may be released during a fire. |

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

| | |
|-----------------------------------|---|
| Environmental precautions: | Prevent further leakage or spillage if safe to do so. Wear appropriate protective equipment and clothing during clean-up. |
| Clean-up methods: | Absorb spill with inert material. Shovel material into appropriate container for disposal. Dispose of according to Federal, State and local governmental regulations. |

7. HANDLING AND STORAGE

| | |
|------------------|---|
| Handling: | Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Do not reuse the empty container. For industrial use only. |
| Storage: | For safe storage, store at or above 40 °F (4.4 °C) Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. Thaw and mix thoroughly if frozen. |

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous components | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|-----------------------|---------------------------|---|-----------|-------|
| Chromium III chromate | 0.05 mg/m3 TWA (as Cr) | (SKIN) 0.005 mg/m3 TWA 0.0025 mg/m3 OSHA ACT 29 CFR 1910.1026 0.1 mg/m3 Ceiling ¹ | None | None |
| Chromium compound | None | None | None | None |

Engineering controls: Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product.

Respiratory protection: If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Eye/face protection: Wear chemical goggles; face shield (if splashing is possible).

Skin protection: Chemical resistant, impermeable gloves. Use of impervious apron and boots are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid
Color: Yellow green
Odor: Mild
Odor threshold: Not available
pH: 2.1 - 2.5
Vapor pressure: Not determined
Boiling point/range: > 100 °C (> 212°F)
Melting point/ range: Not determined
Specific gravity: 1.00 - 1.01 at 60 °F (15.56 °C)
Vapor density: Not available
Flash point: Not applicable
Flammable/Explosive limits - lower: Not available
Flammable/Explosive limits - upper: Not available
Autoignition temperature: Not applicable
Evaporation rate: Not determined
Solubility in water: Complete
Partition coefficient (n-octanol/water): Not available
VOC content: Not applicable

10. STABILITY AND REACTIVITY

Stability: Stable at normal conditions.

Hazardous reactions: Will not occur.

Hazardous decomposition products: None expected.

Incompatible materials: Avoid contact with organic materials, oils, greases, and any oxidizable materials.

Conditions to avoid: Do not allow chemical to dry in the presence of organic materials.

11. TOXICOLOGICAL INFORMATION

| Hazardous components | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|-----------------------|-------------------|-----------------|---|
| Chromium III chromate | Known carcinogen. | Group 1 | Yes |
| Chromium compound | No | No | No |

| Hazardous components | Health Effects/Target Organs |
|-----------------------|--|
| Chromium III chromate | Allergen, Irritant, Respiratory |
| Chromium compound | Allergen, Irritant, Metabolic, Respiratory |

12. ECOLOGICAL INFORMATION

Ecological information: Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.

Hazardous waste number: This product contains chromium which is a hazardous waste (D007).

14. TRANSPORT INFORMATION

The shipping classification in this section are for bulk packaging only. Shipping classification may be different for non-bulk packaging as exceptions may apply. Refer to shipping documents for package specific transportation classification.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Environmentally hazardous substances, liquid, n.o.s.
Hazard class or division: 9
Identification number: UN 3082
Packing group: III
DOT Reportable quantity: Chromic acid

International Air Transportation (ICAO/IATA)

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.
Hazard class or division: 9
Identification number: UN 3082
Packing group: III

Water Transportation (IMO/IMDG)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Hazard class or division: 9
Identification number: UN 3082
Packing group: III

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

TSCA 12(b) Export Notification: Chromium III chromate (CAS# 24613-89-6).

CERCLA/SARA Section 302 EHS: None above reporting de minimus

CERCLA/SARA Section 311/312: Immediate Health, Delayed Health

CERCLA/SARA 313: This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Chromium III chromate (CAS# 24613-89-6).

CERCLA Reportable quantity: Chromic acid (CAS# 7738-94-5) 10 lbs. (4.54 kg)

California Proposition 65: This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Canada Regulatory Information

CEPA DSL/NDL Status: All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

WHMIS hazard class:

D.2.A, D.2.B

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: New Material Safety Data Sheet format.

Prepared by: John DiCerbo, Sr. Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.